

CONTRAST PHOTOELECTRIC SENSOR

TL46-A-415 = Contrast sensor with trimmer adjustment, White LED em. PNP M12	954601070
TL46-A-425 = Contrast sensor with trimmer adjustment, White LED em. NPN M12	954601080
TL46-A-615 = Contrast sensor with trimmer adjustment, Red LED em. PNP M12	954601090
TL46-A-625 = Contrast sensor with trimmer adjustment, Red LED em. NPN M12	954601100
TL46-W-815 = Contrast sensor 8mm. basic vertical RGB Emission spot delay input npn/npn out - M12	954601000
TL46-W-815G = Contrast sensor 8mm. basic vertical spot RGB Emission delay input Glass-Lens npn/npn out - M12	954601060
TL46-W-815L = Contrast sensor 8mm. basic horizontal spot RGB Emission delay input npn/npn out - M12	954601010
TL46-W-815-PZ BASIC IOL M12	954600005
TL46-WE-815 ENH COLOR 9MM M12 VSPOT PNP	954601130
TL46-WE-825 ENH COLOR 9MM M12 VSPOT NPN	954601140
TL46-WH-815-PZ HIGH PERF IOL M12	954600004
TL46-WJ-815 = Contrast sensor low jitter vertical spot RGB Emission dynamic acq. ext. inp.ob. 9mm M12	954601110
TL46-WJ-815L = Contrast sensor low jitter horizontal spot RGB Emission dynamic acq. ext. inp.ob. 9mm M12	954601120
TL46-WL-815 = Contrast sensor 8mm. standard vertical spot RGB Emission remote input npn/npn out - M12	954601020
TL46-WL-815L = Contrast sensor 8mm. standard horizontal spot RGB Emission remote input npn/npn out - M12	954601030
TL46-WLF-815 = Contrast sensor 8mm. enhanced vertical spot RGB Emission remote /dynamic acq. input npn/npn out m1	

954601040

TL46-WLF-815L = Contrast sensor 8mm. enhanced horizontal spot RGB Emission remote
/dynamic acq. input npn/pnp out

954601050

CABLES

CS-A1-02-B-NC = M12 4-p axial PG

G5085002

CS-A1-02-G-03 = M12 4-p axial 3m

95A251380

CS-A1-02-G-05 = M12 4-p axial 5m

95A251270

CS-A1-02-G-10 = M12 4-p axial 10m

95A251390

CS-A1-02-O-05 = M12 4-p axial 5m CEI 2034-01

95A251710

CS-A1-02-O-10 = M12 4-p axial 10m CEI 2034-01

95A251090

CS-A1-02-R-02 = M12 4-p axial 2m PUR

95A251540

CS-A1-02-R-05 = M12 4-p axial 5m PUR

95A251560

CS-A1-02-U-03 = M12 4-p axial 3m UL 2464

95ASE1120

CS-A1-02-U-05 = M12 4-p axial 5m UL 2464

95ASE1130

CS-A1-02-U-10 = M12 4-p axial 10m UL 2464

95ASE1140

CS-A1-02-U-15 = M12 4-p axial 15m UL 2464

95ASE1150

CS-A1-02-U-25 = M12 4-p axial 25m UL 2464

95ASE1160

CS-A1-03-G-03 = M12 5-p axial 3m

95ACC2110

CS-A1-03-G-05 = M12 5-p axial 5m

95ACC2120

CS-A1-03-G-10 = M12 5-p axial 10m

95ACC2140

CS-A1-03-U-03 = M12 5-p axial 3m UL 2464	95ASE1170
CS-A1-03-U-05 = M12 5-p axial 5m UL 2464	95ASE1180
CS-A1-03-U-10 = M12 5-p axial 10m UL 2464	95ASE1190
CS-A1-03-U-15 = M12 5-p axial 15m UL 2464	95ASE1200
CS-A1-03-U-25 = M12 5-p axial 25m UL 2464	95ASE1210
CS-A1-03-U-50 = M12 5-p axial 50m UL 2464	95A252700
CS-A2-02-B-NC = M12 4-p radial PG	G5085003
CS-A2-02-G-03 = M12 4-p radial 3m	95A251360
CS-A2-02-G-05 = M12 4-p radial 5m	95A251240
CS-A2-02-G-10 = M12 4-p radial 10m	95A251260
CS-A2-02-O-05 = M12 4-p radial 5m CEI 2034-01	95A251690
CS-A2-02-O-10 = M12 4-p radial 10m CEI 2034-01	95A251700
CS-A2-02-R-02 = M12 4-p radial 2m PUR	95A251550
CS-A2-02-R-05 = M12 4-p radial 5m PUR	95A251570
CS-A2-12-G-03 = M12 4-p radial 3m LED	95A251400
CS-A2-12-G-05 = M12 4-p radial 5m LED	95A251350
CS-A2-12-G-10 = M12 4-p radial 10m LED	95A251370

OPTIC LENS/SLIT

LENS Hi-Resolution = Lens HI-RES glass

95ACC1050

LENS No. 18 = Lens No.18 glass

95ACC2680

LENS No. 22 = Lens No.22 glass

95ACC1100

LENS No. 28 = Lens No.28 glass

890000194

LENS No. 40 = Lens No.40-60 glass

95ACC2740

LENS No. 50 = Lens No.50 BOC-511

S73030511

LENS No. 9 = Lens No.9 glass

95ACC2670

LENS No. 9 PMMA = Lens No.9 PMMA

95ACC2540